

S12	12	("5907326" or "6202066" or "20020026359" or "6546397" or "5845299" or "5900871").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 15:36
S13	1	S8 and (framework or ((code or program or object or application) near8 development))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:28
S14	17	srinivasan.in. and portal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:28
S15	4	S14 and (@ad<="20000623" or @rlad<="20000623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:32
S16	13	(US-20020078377-\$ or US-20030192031-\$ or US-20030182656-\$ or US-20020049961-\$).did. or (US-5918013-\$ or US-6236971-\$ or US-6026485-\$ or US-6148311-\$ or US-6351741-\$ or US-6119130-\$ or US-6202066-\$ or US-5907326-\$ or US-5845299-\$).did.	US-PGPUB; USPAT	OR	ON	2005/01/04 16:32
S17	3	S16 not (@ad<="20000623" or @rlad<="20000623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:32
S45	13	Underwood.in. and (select\$5 near8 (broker or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:48
S46	147	(@ad<="20000623" or @rlad<="20000623") and (portal same server).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:49
S48	2	S45 and portal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:50

S50	8	(@ad<="20000623" or @rlad<="20000623") and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:51
S52	2	S45 and servlet and framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:06
S53	4	(select\$5 near3 server) near5 (identification near8 host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:04
S54	4	(select\$5 near6 ((host or machine) near4 server)) same ((identification or "serial number") near4 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:56
S55	1	(@ad<="20000623" or @rlad<="20000623") and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 12:30
S56	1369	((select\$4 near5 server) same (rule or identification or attribute or parameter or number)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:06
S57	535	(@ad<="20000623" or @rlad<="20000623") and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:33
S58	1	S57 and (servlet and upgrad\$5) and ((upgrad\$4 near6 (server or CGI)) or (JSP and framework) or (instantiat\$5 and portal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:11
S59	3	S57 and (version and upgrad\$5) and ((upgrad\$4 near6 (server or CGI)) or (JSP and framework) or (instantiat\$5 and portal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:13
S60	25	S57 and (version and updat\$5) and ((updat\$4 near6 (server or CGI)) or (JSP and framework) or (instantiat\$5 and portal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:13

S61	24	S60 not Flesner.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 11:13
S62	364	(719/316).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:33
S63	2	(@ad<="20000623" or @rlad<="20000623") and portal and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:42
S64	2	"6633923".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 12:36
S65	3	("6633923").URPN.	USPAT	OR	ON	2005/01/06 12:40
S66	6	("6141686" "6279001" "6314463" "6317786" "6330677" "6453320").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 12:41
S67	6	S66 and (updat\$4 or upgrad\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 12:42
S68	2	S66 and (updat\$4 or upgrad\$4). ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 12:43
S69	4	S66 and (select\$5 near8 (server or agent or site or database or provider or link))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 14:30
S70	22	("6317786").URPN.	USPAT	OR	ON	2005/01/06 12:45
S71	2	S70 and (portal or agent or broker) and (upgrad\$4 same (server or site or provider or source))	USPAT	OR	ON	2005/01/06 13:38
S72	0	(broker same (select\$4 near6 (server or provider or source or repository or site))) and (request near8 upgrade)	USPAT	OR	ON	2005/01/06 13:39
S73	2	((broker or interceptor or agent) same (select\$4 near6 (server or provider or source or repository or site))) and (request near8 upgrade)	USPAT	OR	ON	2005/01/06 13:41

S74	60	((broker or interceptor or agent or service or server) same (select\$4 near6 (server or provider or source or repository or site))) and (request near8 upgrade)	USPAT	OR	ON	2005/01/06 13:42
S75	1	(@ad<="20000623" or @rlad<="20000623") and portal and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:39
S76	56	(@ad<="20000623" or @rlad<="20000623") and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:43
S77	6	S76 and (CGI or servlet or JSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 13:44
S78	8	("6125372").URPN.	USPAT	OR	ON	2005/01/06 13:48
S79	24	(US-20020049961-\$ or US-20040215709-\$ or US-20040060055-\$).did. or (US-5377336-\$ or US-5790823-\$ or US-5845299-\$ or US-5907326-\$ or US-5918013-\$ or US-6026485-\$ or US-6119130-\$ or US-6148311-\$ or US-6202066-\$ or US-6236971-\$ or US-6249906-\$ or US-6351741-\$ or US-6697825-\$ or US-5805824-\$ or US-6633923-\$ or US-6453320-\$ or US-6317786-\$ or US-6377570-\$ or US-6606744-\$ or US-6314565-\$ or US-6125372-\$).did.	US-PGPUB; USPAT	OR	ON	2005/01/06 14:29
S80	13	S79 and (select\$5 near8 (server or agent or site or database or provider or link))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 15:43
S81	1	("6446218").URPN.	USPAT	OR	ON	2005/01/06 15:38
S82	142	(software same upgrade).ab. or ((software same upgrade).clm. and "717"/\$)	USPAT	OR	ON	2005/01/06 15:39
S83	1	(@ad<="20000623" or @rlad<="20000623") and portal and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:44

S84	18	("5664206" "5717930" "5732275" "5742829" "5845077" "5903897" "6009274" "6049671" "6073214" "6074434" "6151643" "6202207" "6256664" "6256668" "6269473" "6282709" "6324691" "6327617").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 15:43
S85	7	S84 and (select\$5 near8 (server or agent or site or database or provider or link))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 15:48
S86	5	(@ad<="20000623" or @rlad<="20000623") and ((class or object or interface or servlet) same instantiat\$5) and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:49
S87	13	S82 and (select\$5 adj2 (server or agent or site or database or provider or link))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 16:12
S88	3	(@ad<="20000623" or @rlad<="20000623") and ((class or object or interface or servlet) same instantiat\$5) and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:01
S89	23	servlet and (upgrad\$3 same request) and JSP and (broker or portal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:43
S90	2	S89 and (@ad<="20000623" or @rlad<="20000623") and ((class or object or interface or servlet) same instantiat\$5) and (server same (lookup or select\$4 or (look\$3 adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:53
S91	2	"6779016".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:10
S92	9	S80 and (select\$5 adj2 (server or agent or site or database or provider or link))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/06 16:13
S93	10	Underwood.in. and (JSP or servlet or instantiat\$4) and (software same request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:20

S94	8	S93 and (client same request) and (JSP or (broker or portal or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:26
S95	6	S94 and (upgrad\$4 same (client or server or host))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:23
S96	6	S95 and (client same request) and (JSP or (broker or portal or agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:26
S97	2	((servlet or CGI) near5 upgrad\$4) and ((upgrad\$4 or client) same (server and request)) and ((class adj2 instantiat\$4) or framework)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:29
S98	1	(framework or (servlet or class instantiat\$4)) and JSP and broker and (servlet same upgrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:52
S99	1	(framework or (servlet or class instantiat\$4)) and broker and (servlet same upgrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:52
S100	19	(framework or (servlet or class instantiat\$4)) and (servlet same upgrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:52
S101	1	S100 and (@ad<="20000623" or @rlad<="20000623") and ((class or object or interface or servlet) same instantiat\$5) and (server same (lookup or select\$4 or (look\$3 adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 17:03
S102	9	S100 and (@ad<="20000623" or @rlad<="20000623") and (server same (lookup or select\$4 or (look\$3 adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:57
S103	20	(upgrad\$4 same (server or gateway)).ab. and (JSP or framework)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 17:03

S10 4	7	((select\$4 or "look up") near8 (server or site or database or service or provider)) and (@ad<="20000623" or @rlad<="20000623") and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 17:04
S10 5	15	("6230194").URPN.	USPAT	OR	ON	2005/01/06 17:15
S10 6	265	((ORB or COM or portal) same (component or wrapper or (COM adj3 object) or stub)) and (ASP or JSP or (ORB near8 stub) or (servlet same instantiat\$5))	USPAT	OR	ON	2005/01/07 10:22
S10 7	209	(@ad<="20000623" or @rlad<="20000623") and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:42
S10 8	4	S107 and ((client or remote) near8 (request same upgrade))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:49
S10 9	32	(US-20020049961-\$ or US-20020052941-\$ or US-20040060055-\$ or US-20040215709-\$).did. or (US-5377336-\$ or US-5544320-\$ or US-5790823-\$ or US-5805824-\$ or US-5907326-\$ or US-6026485-\$ or US-6119130-\$ or US-6125372-\$ or US-6202066-\$ or US-6202207-\$ or US-6230194-\$ or US-6236971-\$ or US-6249906-\$ or US-6256664-\$ or US-6314565-\$ or US-6317786-\$ or US-6351741-\$ or US-6377570-\$ or US-6446218-\$ or US-6453320-\$ or US-6510350-\$ or US-6606744-\$ or US-6631418-\$ or US-6633923-\$ or US-6697825-\$ or US-6704873-\$).did. or (US-6718549-\$ or US-6671818-\$). did.	US-PGPUB; USPAT	OR	ON	2005/01/07 10:41
S11 0	123	((CGI or gateway) same portal) and (Corba ORB COM DCOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:42
S11 1	24	(@ad<="20000623" or @rlad<="20000623") and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:03

S11 2	1	S111 and ((client or remote) near8 (request same upgrade))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:51
S11 3	12	S111 and (JSP or ASP or (servlet same instantiat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:00
S11 4	3	S113 and ((download\$4 or request\$3 or distribut\$4 or send\$4) near8 (upgrad\$4 or (latest adj2 version) or updated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:02
S11 5	10	gateway same (request near6 upgrade)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:03
S11 7	5	(@ad<="20000623" or @rlad<="20000623") and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:03
S11 8	38	(US-20020049961-\$ or US-20020052941-\$ or US-20040060055-\$ or US-20040215709-\$ or US-20020103818-\$ or US-20020091923-\$ or US-20020016729-\$ or US-20020032706-\$).did. or (US-5377336-\$ or US-5544320-\$ or US-5790823-\$ or US-5805824-\$ or US-5907326-\$ or US-6026485-\$ or US-6119130-\$ or US-6125372-\$ or US-6202066-\$ or US-6202207-\$ or US-6230194-\$ or US-6236971-\$ or US-6249906-\$ or US-6256664-\$ or US-6314565-\$ or US-6317786-\$ or US-6351741-\$ or US-6377570-\$ or US-6446218-\$ or US-6453320-\$ or US-6510350-\$ or US-6606744-\$ or US-6631418-\$ or US-6633923-\$ or US-6697825-\$ or US-6704873-\$).did. or (US-6718549-\$ or US-6671818-\$ or US-6763040-\$).did. or (KR-2001054801-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/07 12:19

S119	4	S118 and servlet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 12:19
S120	335	(servlet near8 (server near6 applet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 12:28
S123	5	S120 and (upgrad\$ near8 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 12:30
S124	78	Accenture.as. and (Java near8 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 12:30
S125	66	(@ad<="20000623" or @rlad<="20000623") and S124 and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:21
S126	78	Accenture.as. and (Java near8 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:21
S127	66	(@ad<="20000623" or @rlad<="20000623") and S126 and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:21
S128	5	S127 and servlet and Accenture.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:22
S129	0	S127 and servlet and Underwood.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:22
S130	0	S126 and servlet and Underwood.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:22

S13 1	335	(servlet near8 (server near6 applet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:23
S13 2	0	S131 and Accenture.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:23
S13 3	38	(US-20020049961-\$ or US-20020052941-\$ or US-20040060055-\$ or US-20040215709-\$ or US-20020103818-\$ or US-20020091923-\$ or US-20020016729-\$ or US-20020032706-\$).did. or (US-5377336-\$ or US-5544320-\$ or US-5790823-\$ or US-5805824-\$ or US-5907326-\$ or US-6026485-\$ or US-6119130-\$ or US-6125372-\$ or US-6202066-\$ or US-6202207-\$ or US-6230194-\$ or US-6236971-\$ or US-6249906-\$ or US-6256664-\$ or US-6314565-\$ or US-6317786-\$ or US-6351741-\$ or US-6377570-\$ or US-6446218-\$ or US-6453320-\$ or US-6510350-\$ or US-6606744-\$ or US-6631418-\$ or US-6633923-\$ or US-6697825-\$ or US-6704873-\$).did. or (US-6718549-\$ or US-6671818-\$ or US-6763040-\$).did. or (KR-2001054801-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/07 15:23
S13 4	3	Underwood.in. and servlet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 15:24

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	147	(@ad<="20000623" or @rlad<="20000623") and (portal same server).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 09:56
S4	4	S1 and servlet and ((class or object) same (instantiat\$4 or load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:20
S5	10	S1 and ((class or object) same (instantiat\$4 or load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 11:58
S6	6	("5918013" or "20020078377" or "6236971").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 12:40
S7	5	("20030182656" or "20030192031").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 15:19
S8	5	("20030182656" or "20030192031").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 15:20
S9	2	("6026485").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 15:24
S10	4	("6351741" or "6148311").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 15:31
S11	4	("6453310" or "6119130").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 15:35


[Web](#) [Images](#) [Groups](#) ^{New!} [News](#) [Froogle](#) [more »](#)

Portal COM object instantiation

Search

[Advanced Search](#)
[Preferences](#)

"COM" is a very common word and was not included in your search. [\[details\]](#)

Web

Results 1 - 10 of about 13,400 for **Portal COM object instantiation**. (0.37 seconds)

SilverStream eXtend Director 4.0 API: Overview

... **portal.util**, Provides a helper class for retrieving and parsing **portal** URLs ...

com.sssw.re.factory, Provides a factory class for Rule subsystem **object instantiation** ...

www.novell.com/documentation/director4/docs/help/javadoc/overview-summary.html - 15k - [Cached](#) - [Similar pages](#)

Coding Java for Director Applications

... instance. Therefore, to use a rule manager, you need to **instantiate** the

object. Here's how you might do this in a **portal** component: ...

www.novell.com/documentation/director4/docs/help/books/cdiAccessServices.html - 42k -

[Cached](#) - [Similar pages](#)

[[More results from www.novell.com](#)]

Welcome to the SDN Forums

... run(Dispat cher.java:113) at com.sapportals.**portal.prt.dispatcher** ... serverapi.

MetadataServerAPIHome>, because Exception oc cured in **object instantiation**: java. ...

<https://forums.sdn.sap.com/thread.jspa?threadID=23355&tstart=60> - 18k - [Cached](#) - [Similar pages](#)

[Python.NET] example of calling Python from C# with simple **object** ...

... **objects** { if (o != null) Console.WriteLine(o.ToString()); else Console.WriteLine("o is null."); } Note the **object instantiation** "**Portal portal = new Portal** ...

[mail.python.org/pipermail/pythondotnet/2003-November/000037.html](mailto:python.org/pipermail/pythondotnet/2003-November/000037.html) - 9k - [Cached](#) - [Similar pages](#)

[PDF] Metadot Portal Server

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Metadot **Portal** Server Developers' Guide April 18, 2003 Copyright Metadot Corp.,

2003 10 ... 3.2.3 **Object** permissions **instantiation** and checking ...

www.metadot.com/public/metadotdevguide.pdf - [Similar pages](#)

Objects with dense events, but sparse usage can benefit from ...

... reclaimed. What you get from custom storage is faster **object instantiation**,

smaller **object** layouts on the heap, etc... If there ...

weblogs.asp.net/justin_rogers/archive/2004/09/22/232834.aspx - 27k - [Cached](#) - [Similar pages](#)

WebServices.Org - The Web Services Industry **Portal** - BEA ...

... WebLogic Server, BEA WebLogic JRockit, BEA WebLogic **Portal** and BEA ... work with "Controls" through traditional method call techniques and **object instantiation**. ...

www.mywebservices.org/index.php/article/articleview/940/1/4/ - 56k - [Cached](#) - [Similar pages](#)

Winnersh Triangle Web Solutions Limited: Quality web development ...

... The script also looks for instances of **object instantiation**, JavaScript functions,

HTML forms ... Web Solutions Limited for all your peoplecube **portal** requirements ...

www.winnershtriangle.com/w/start.html - 32k - [Cached](#) - [Similar pages](#)

Appendix A - Solutions

... Without using **portal** factory you will end up having empty content **objects** ... Digression -

Object Instantiation: As Plone is a high-level application, there are ...

www.neuroinf.de/PloneDevTutorial/appendixA - 60k - Jan 6, 2005 - [Cached](#) - [Similar pages](#)

URLPersonalizationObject (PDK for Java 9.0.4.0.2)

... Init method used to initialize the data **object** after **instantiation** via its null

constructor. ... Methods inherited from class oracle.**portal.provider.v2.personalize** ...

www.oracle.com/.../ias/portal/html/javadoc/apidoc/oracle/portal/provider/v2/URLPersonalizationObject.html - 23k -

[Cached](#) - [Similar pages](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

 [Free! Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) ^{New!} [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

"COM" is a very common word and was not included in your search. [\[details\]](#)

Web Results 11 - 20 of about 13,400 for **Portal COM object instantiation**. (0.05 seconds)

Web Services Journal

... In the example shown in Listing 1, the **portal** application is the Web ... **Object instantiation: Object instantiation** occurs on both the consumer and provider sides. ...

www.sys-con.com/story/?storyid=39548&DE=1 - 53k - [Cached](#) - [Similar pages](#)

NameValuePersonalizationObject (PDK for Java 9.0.4.0.2)

... initialize the data **object** after **instantiation** via its ... Methods inherited from class

java.lang.**Object**. ... Methods inherited from interface oracle.**portal**.provider.v2 ...

www.oracle.com/.../javadoc/apidoc/oracle/portal/provider/v2/personalize/NameValuePersonalizationObject.html - 24k - [Cached](#) - [Similar pages](#)

[\[More results from www.oracle.com \]](#)

[PDF] A Web Service Model for Climate Data Access on the Grid

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... A visualisation web **portal** has also been built to interface with GADS to ... To characterise the data **object instantiation**, a metadata model is needed for data use ...

www.resc.rdg.ac.uk/publications/GADS_paper-rev-final.pdf - [Similar pages](#)

Object Oriented Portal - IT13 - Chulalongkorn University

... ObjectMonkey The **Object Technology Portal** - Dozens of ... operator overloading, generators, static **instantiation**, compiled to ... **Object Oriented Programming in C** Paul ...

www.student.chula.ac.th/~47824631/ - 101k - [Cached](#) - [Similar pages](#)

[doc] Leveraging Object-Oriented COTS Simulation Environments:

File Format: Microsoft Word 2000 - [View as HTML](#)

... of federates within a specific **instantiation** of COTS ... may choose to subscribe to COTS Transfer **Object**. The Source and Destination **Portal** attributes are optional ...

ms.ie.org/SIW_LOG/03F/03F-SIW-015.doc - [Similar pages](#)

[doc] Integrated Clinical Database 2

File Format: Microsoft Word 2000 - [View as HTML](#)

... being authenticated in the ICDB 2.0 **portal** itself ... A: Through the **instantiation** of the ICDBDatabase class ... In your module or business **object**, **instantiate** an **object** ...

icdb.tricaresw.af.mil/IDN/Assets/Getting%20Started%20in%20Developing%20for%20the%20ICDB%202.doc - [Similar pages](#)

NewLC - LEAVE and TRAP

Welcome Welcome to NewLC, the Symbian OS C++ developer **portal**. ... on that cases where an **object** may lose its reference during **object instantiation** and memory space ...

www.newlc.com/article.php?id_article=434 - 29k - [Cached](#) - [Similar pages](#)

Core J2ee Patterns: Chapter 7 Code: 7.25 - 7.35

... <region:render template='portal.jsp'> <region ... Note: **Object** creation could be avoided via * factory, but for example purposes **object * instantiation** is shown ...

authors.phptr.com/corej2eepatterns/codeChap7_3.html - 22k - [Cached](#) - [Similar pages](#)

[Bioperl-l] Re: cloning and Storable

... list, _initialise_storable() should > > > > > be called during **object instantiation**. ...

replaced by a > > > > > skeleton **object** in the ... Bioperl-l at **portal.open-bio** ...

bioperl.org/pipermail/bioperl-l/2003-September/013370.html - 13k - [Cached](#) - [Similar pages](#)

MeasureIT - Issue 2.11 - Performance and Capacity Planning ...

... WebSphere Portal Server has several caching options to improve performance. ... avoid unnecessary **object instantiation**,; buffer I/O (by default Java I/O is not ...

www.cmg.org/measureit/issues/mit18/m_18_6.html - 39k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)


Portal COM object instantiation

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [News](#) [Froogle](#) [more »](#)

Portal COM object instantiation

Search

[Advanced Search](#)
[Preferences](#)

"COM" is a very common word and was not included in your search. [\[details\]](#)

Web

Results 21 - 30 of about 13,400 for Portal COM object instantiation. (0.07 seconds)

[Microsoft Security Bulletin MS02-069: Flaw in Microsoft VM Could ...](#)

Virus.Org IT Security News and Information **Portal**. ... Incomplete Java **object instantiation**

Vulnerability: - This vulnerability would only enable the attacker to ...

[lists.virus.org/msbtl-0212/msg00005.html](#) - 17k - [Cached](#) - [Similar pages](#)

[Solution Proposals for the Exercises .. \[1\] Fundamental Background ...](#)

... Without using **portal** factory you will end up having empty content **objects** whenever

one of your users adds a new ... Digression - **Object Instantiation:**** As Plone ...

[www.neuroinf.de/PloneDevTutorial/appendixA/document_src](#) - 27k - [Cached](#) - [Similar pages](#)

Object-oriented ActionScript

... Make (ie, **instantiate**) **objects** from those classes. ... An individual Sound **object** represents and controls a single ... Here's the new Air Force **Portal** real-time chat ...

[www.devarticles.com/c/a/Flash/Object-oriented-ActionScript/1/](#) - 101k - [Cached](#) - [Similar pages](#)

[BEA WebLogic Portal JavaDoc: Class PortalJspBase](#)

... String the default destination of the **portal instantiation** ... Parameters: the - **portal**

`javax.servlet.http ... public static java.lang.Object getSessionValue(java.lang ...`

[edocs.beasys.com/wlac/portals/docs/javadoc/com/beasys/portal/admin/PortalJspBase.html](#) - 53k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Design Issues in the Mapping of the Darwin ADL to Java using RMI ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... component COM_A(int n) { provide **portal** p[n]:P; } ... The intermediate **object** that handles requests for component **instantiation** is called the component's ...

[www.doc.ic.ac.uk/~igeozg/Project/Darwin/AllDesignDocs.pdf](#) - [Similar pages](#)

[\[PDF\] Enterprise Integrattion, Data Federation, and the DKMS: A Comm](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Page 8. Figure Three – The AKM and Partial **Object Instantiation** The DKMS,

The Data Federation and The Enterprise Knowledge **Portal** ...

[www.dkms.com/papers/eaiekp.pdf](#) - [Similar pages](#)

Towards agent-oriented assistance for framework instantiation

... Step Beyond Active-Cookbooks to Aid in Framework **Instantiation**. ... Johnson, Surveying current research in **object-oriented** design ... The ACM **Portal** is published by the ...

[portal.acm.org/citation.cfm?id=353171.353188](#) - [Similar pages](#)

Towards agent-oriented assistance for framework instantiation

... Beyond Active-Cookbooks to Aid in Framework **Instantiation**. ... 15th ACM SIGPLAN conference on **Object-oriented** programming ... United States. The ACM **Portal** is published ...

[portal.acm.org/citation.cfm?id=354222.353188](#) - [Similar pages](#)

[[More results from portal.acm.org](#)]

WebSphere Portal: Interface Property

... with a Property **object**. If actions are not declared in a WSDL file, PropertyFactory may be used to create instances of Property . After **instantiation**, required ...

[www-106.ibm.com/.../websphere/zones/portal/portlet/5.0api/WPS/com/ibm/wps/pb/property/Property.html](#) - 32k -

[Cached](#) - [Similar pages](#)

[Index from Building Applications with Microsoft® Outlook® ...](#)

... 428 GetDefaultFolder method, 426–27 **instantiation**, 335 list ... namespaces **object** (see

- NameSpace object) Web Parts ... 769, 775–78 SharePoint Portal Server, opening ...
www.microsoft.com/mspress/books/index/4999a.asp - 78k - [Cached](#) - [Similar pages](#)
-




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) ^{New!} [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

"COM" is a very common word and was not included in your search. [\[details\]](#)

Web

Results 31 - 40 of about 13,400 for Portal COM object instantiation. (0.11 seconds)

[\[#JS2-56\] Objects Fail to Create with Tomcat Classloaders and ...](#)

... fine when **objects** have already been **instantiated** in the ... Jetspeed common servlet and the Jetspeed **portal** can share ... at the code used by the obj **object** broker http ...

[issues.apache.org/jira/browse/JS2-56 - 47k - Cached - Similar pages](#)

[\[PPT\] CCA Component Instantiation](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... On-the-fly component **instantiation** and coupling required. ... The **portal** server uses scripts to launch communicate with ... to easily incorporate a remote **object** into a ...

[venus.cs.tlu.edu/SAM/grid_programming.ppt - Similar pages](#)

[jGuru: How do I create an instance **object** of a class when I have ...](#)

... sample code for Class.forName(..) **instantiation** // Stefan Höhn package myPackage;
 public class CAction extends **Object** { public void CAction() { } / this ...

[jguru.com/faq/view.jsp?EID=30132 - 22k - Cached - Similar pages](#)

[Book review — Component Software: Beyond **Object** Oriented ...](#)

... Just because an **object** can be **instantiated** many times ... is simply inaccurate to classify all **objects** as components ... worked at Fila.com, an Internet **portal** for Fila ...

[www-106.ibm.com/developerworks/rational/library/2074.html - 29k - Cached - Similar pages](#)

[\[More results from www-106.ibm.com \]](#)

[\[PDF\] The Grid **Portal** Development Kit](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the **instantiation** of a BasicPortal **object** used to initialize and destroy resources that are used during the operation of the **portal**. ...

[aspen.ucs.indiana.edu/gce/C531gcenovotny/c531paper.pdf - Similar pages](#)

[\[PDF\] Passage **Portal** 5](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... A **Portal object** contains many Users, User **objects** may contain a plurality of Views, and Views contain a plurality of sub-views or web parts. ...

[www.cubiccompass.com/downloads/PassagePortalDevelopersGuide.pdf - Similar pages](#)

[\[PDF\] freedom 2 Architecture Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 7 Federated **Portal** Architecture ... 34 Freedom Administration **Object** View

[www.getnet.net/~swhitlat/DocBook/f2Arch.pdf - Similar pages](#)

[\[PDF\] freedom 2 Architecture Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... user authentication is initiated in Tier 1 and custom **portal** applications run ... functionality is implemented using Microsoft's DHTML Document **Object** Model (DOM ...

[www.getnet.net/~swhitlat/pro-samples/f2Arch_book.pdf - Similar pages](#)

[\[PDF\] Enterprise Knowledge Portals: What They Are and What They Do ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... developed information and knowledge, and an integrative **object/component-based portal** architecture. g The next few slides list the functionality and types ...

[www.dkms.com/papers/ekpb2brev1ppt.pdf - Similar pages](#)

[\[More results from www.dkms.com \]](#)

[PDF] [OntoMap: Portal for Upper-Level Ontologies](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

OntoMap: Portal for Upper-Level ... The **objects** are always instances of certain class;
—collections ... 3.2 **Instantiation** in addition to inheritance Our semantic ...

www.ontotext.com/publications/fois01.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

Portal COM object instantiation

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google